






Concrete Tile

94°
attic temperature

# Why Tile?

#### **NATURAL PROTECTION**

Attic temperatures measured using identical heat sources simulating the sun's radiation comparing Newpoint™ Cool Roof System to a common asphalt shingle installation. The result is less heat in the attic and lower energy bills.











# STYLES

Newpoint<sup>™</sup> concrete roof tile easily harmonizes with all three dominant architectural styles in Florida.



# TRADITIONAL

AMERICAN ADAPTATIONS OF REGIONAL HOME STYLES FROM OTHER TIME PERIODS OR AREAS OF THE WORLD. OFTEN MIXED REFERENCES.



MEDITERRANEAN
TUSCAN
WEST INDIES
FLORIDA OLD STYL
FRENCH COUNTR



PREFERS THE CLEAN LINES OF CONTEMPORARY ARCHITECTURE, BUT DRAWS HEAVILY ON DETAILS AND STYLES FROM TRADITIONAL ARCHITECTURE.



NCH / SPLIT LEVEI PRAIRIE STYLE MIXED LOOKS

# CONTEMPORARY

CHARACTERIZED BY A PREFERENCE FOR CLEAN
LINES, OPEN CONCEPTS, DECORATION,
AMPLE LIGHT SOURCES / LARGE WINDOWS,
AND LACK OF ROUND FORMS.



MID-CENTURY MODERN
CONTEMPORARY



 $_{9}$ 

















#### HIGH & MEDIUM TILE PROFILE COLLECTIONS

#### BARCELONA 900



This modern interpretation of old world Spanish design creates a distinctive mission tile appearance.

P. 13


#### BOOSTED BARCELONA CAPS



Available installation application of Barcelona 900 which creates the appearance of an authentic mortar-boosted tile.

P. 17

#### VILLA 900



Emulates beautiful Mediterranean styles found in Italy and Southern France.

P. 19

#### LOW TILE PROFILE COLLECTIONS

#### SAXONY® 900

#### Slate



Beautiful design representative of styles found in England, Northern Europe and the US Eastern Seaboard. Versatile enough to accentuate any architectural style.

P. 23

### MADERA 900

#### **DESIGNER** PRODUCT



Madera 900 is the most affordable, authentic replication of a hand-split cedar shake roof available.

P. 2





#### STANDARD COLORS

#### BARBADOS BLEND

1HBCS6423



Made to Order

#### PARADISE ISLAND TAN 1HBCS0084



Made to Order

**DESERT SPICE BLEND** 

1HBCS6313



Stock

#### CASA GRANDE BLEND

1HBCS6144



CRRC 0942-0014 / Ref:.23 / Emit:.91 / SRI:23 / Aged SRI:24

#### **GOLD DUST BLEND**

1HBCS7205



Stock

#### **AVALON BEACH BLEND**

1HBCS6259



Made to Order

#### STANDARD COLORS

#### **NEW SOUTHERN BLEND** 1HBCS0100



**BUCKSKIN** 1HBCS0141



CRRC 0942-0009 / Ref:.22 / Emit:.90 / SRI:22 / Aged SRI:24

**CANYON DUSK BLEND** 1HBCS0025



Made to Order

**KHAKI BLEND** 1HBCS0140



FLORIDA BLEND 1HBCS3903



Stock

**ESPRESSO BLEND** 1HBCS3260



**CHESTNUT BURNT** 1HBCS3242



Made to Order

#### **NAPLES BLEND** 1HBCS3490



PREMIUM COLOR

**CITRUS CLAY** 1HBWS7656



CRRC 0942-0054 / Ref:.42 / Emit:.90 / SRI:48 / Aged SRI:53

#### STANDARD COLORS

**STERLING** 



CRRC ID: 0942-0194 / Ref: .21 / Emit: .92 / SRI: 21

STONE MOUNTAIN BLEND

1HBCS5354



CRRC 0942-0047 / Ref:.17 / Emit:.90 / SRI:15 / Aged SRI:23

**SLATE** Black Antique 1HBCS5202



Stock

#### **COLOR COAT COLORS**

SPANISH BLEND COLOR COAT\* 1HBSS6789



Made to Order 

PINTO BLEND COLOR COAT\*



BURNT MISSION COLOR COAT\* 1HBSS7117



Stock





# BOOSTED BARCELONA Caps



**CITRUS CLAY** 

1BLWS7656K



Made to Order CRRC 0942-0054 / Ref:.42 / Emit:.90 / SRI:48 / Aged SRI: 53

#### **NEW SOUTHERN BLEND**

1BLCS0100K



Made to Order

#### BUCKSKIN 1BLCS0141K



Made to Order

CRRC 0942-0009 / Ref:.22 / Emit:.90 / SRI:22 / Aged SRI:24

18

#### GOLD DUST BLEND

1BLCS7205K



Made to Order

#### FLORIDA BLEND

1BLCS3903K



Made to Order

#### **CASA GRANDE BLEND**

1BLCS6144K



Made to Order CRRC 0942-0014 / Ref:.23 / Emit:.91 / SRI:23 / Aged SRI:24

#### KHAKI BLEND

1BLCS0140K



Made to Order





#### STANDARD COLORS

#### MANDARIN SUN BLEND 1MPCS6254



Made to Order

#### **CASA GRANDE BLEND** 1MPCS6144



CRRC 0942-0014 / Ref:.23 / Emit:.91 / SRI:23 / Aged SRI:24

ARIZONA CLAY BLEND 1MPCS7049



**NEW SOUTHERN BLEND** 

1MPCS0100



#### GOLD DUST BLEND

1MPCS7205



#### **ESPRESSO BLEND**

1MPCS3260



#### STANDARD COLOR

#### STERLING



CRRC 0942-0194/Ref: .21/Emit: .92/SRI: 21/Aged SRI: 21

#### PREMIUM COLOR

#### **ARBOR GREEN** 1MPCS4590



Made to Order

#### COLOR COAT COLOR

WHITE COLOR COAT\* 1MPBS8001



CRRC 0942-0027 / Ref:.75 / Emit:.91 / SRI: 92 / Aged SRI: 88

#### Made to Order

#### COLOR COAT COLORS

### SOUTH BEACH BLEND COLOR COAT\*



Made to Order

MISSION SUNSET COLOR COAT\* 1MPSS6842



PINTO BLEND COLOR COAT\* 1MPSS0689









# SAXONY® 900 Slate



#### STANDARD COLORS

#### BUCKSKIN 1FMCS0141



CRRC 0942-0009 / Ref:.22 / Emit:.90 / SRI:22 / Aged SRI:24

### WEATHERED ASH



Stock


FLORIDA BLEND

1FMCS3903



Stock


#### SEDONA 1FMCS7143



Made to Order

#### **CHESTNUT BURNT**

1FMCS3242



Stock

#### ESPRESSO BLEND

1FMCS3260



Stock

### SAXONY® 900 Slate

#### STANDARD COLORS

#### STERLING 1FMCS5759



Stock
CRRC 0942-0194 / Ref:.21 / Emit:.92 / SRI:21

#### STONE MOUNTAIN BLEND



STOCK

CRRC 0942-0047 / Ref..17 / Emit:.90 / SRI:15 / Aged SRI:23

### DARK CHARCOAL BLEND 1FMCS1135



Stock

#### PREMIUM COLORS

#### MOTTLED WHITE BLEND




#### BEACH BLONDE BLEND





A superior tile **specifically designed for the Florida market,** to optimize installation, reduce costs and improve protection against the elements.



It is Westlake Royal Roofing Solutions' unyielding drive to develop and provide the industry and our customers with the most innovative tile roofing products, energy-saving solutions and advanced installation techniques.

### FEATURES & BENEFITS



Up to 25% Less Foam Required

- Advanced design lower profile & thicker mid-body
- Increased contact area, optimizing foam adhesive
- More efficient to install, saving labor cost
- Higher wind uplift resistance while using less foam than competitors\*







#### AUTUMNWOOD

1MDCL3002



Readily Available in Stockton, CA CRRC 0942-0070 / Ref:.13 / Emit:.87 / SRI:8 / Aged SRI: 9

#### MOUNTAINWOOD

1MDCL5001



Readily Available in Stockton, CA CRRC 0942-0110 / Ref:.08 / Emit:.93 / SRI:5 / Aged SRI: 7

#### VINTAGEWOOD

1MDCL5011



Made to Order in Stockton, CA CRRC 0942-0089 / Ref:.12 / Emit:.94 / SRI:11 / Aged SRI:14


# Have you considered what is underneath your roof tile?

# **Newpoint**<sup>™</sup> Cool Roof System



# Five components provide energy efficiency and give substantial return on your investment.





## **Energy Savings Every Year**

**22%** Reduction in heating and cooling costs<sup>†</sup>



For more information, please visit our website **WestlakeRoyalRoofing.com** 

†Steep-slope Assembly Testing of Clay and Concrete Tile with and without Cool Pigmented Colors, Oak Ridge National Laboratory, 2005. Results vary based on profile of tile installed, location, weather and other factors.

# Specifications

# Finishing Touches

BARCELONA 900	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / Pallet	Approvals	Capri Trim	Barrel Trim	Capri Hip Starter
	17" x 13"	3-5/8"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 950 lbs.	256	3.01	Approx: 2,782 lbs.	FL 7849 (NON HVHZ*)	17" 10" 1CTCS/1CTSS/1CTWS/1CTBS	9-1/4" 10" 10"	16" 9-3/8" 1CHCS/1CHSS/1CHWS/1CHBS
VILLA 900	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / Pallet	Approvals	Capri Trim	Barrel Trim	Capri Hip Starter
	17" x 13"	2-3/16"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 920 lbs.	296	3.48	Approx: 3,498 lbs.	FL 7849 (NON HVHZ*)	17" 10"  1CTCS/1CTSS/1CTWS/1CTBS	9-1/4" 17" 10"	16" 9-3/8" 1CHCS/1CHSS/1CHMS/1CHBS 1CHWS/1CHBS
SAXONY® 900 SLATE	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / Pallet	Approvals	90 Rake	3-Sided Ridge	3-Sided Hip Starter
	17" x 13"	1-5/32"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 950 lbs.	288	3.39	Approx: 3,490 lbs.	FL 7849 (NON HVHZ*)	1R9CS/1R9BS	1R3CS/1R3BS	16" 10-3/4"
MADERA 900	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet	Weight / Pallet	Approvals	90 Rake	V-Ridge	Tapered Eave Starter
	13-1/2" x 13"	7/8"	At 3-1/2" minimum headlap, 120 field tiles will cover approx. 100 square feet of roof area.	Approx: 950 lbs.	360	3	Approx: 3,010 lbs.	FL 7849 (NON HVHZ*)	14-1/4" 9°	14-1/4" 12-3/4"	10ECL

31

# Suggested Eave Metal Colors

BARCEI	ONA 900		
Avalon Beach Blend	Terra Cotta (alt. Tan)		
Barbados Blend	Terra Cotta (alt. Tan)		
Buckskin	Brown (alt. Tan)		
Burnt Mission	Terra Cotta		
Canyon Dusk Blend	Tan		
Casa Grande Blend	Terra Cotta		
Chestnut Burnt	Brown		
Citrus Clay	Terra Cotta		
Desert Spice Blend	Terra Cotta		
Espresso Blend	Brown		
Florida Blend	Terra Cotta (alt. Brown)		
Gold Dust Blend	Terra Cotta		
Khaki Blend	Terra Cotta		
Naples Blend	Brown (alt. Terra Cotta)		
New Southern Blend	Tan		
Paradise Island Tan	Tan		
Pinto Blend	Tan		
Slate	Black		
Spanish Blend	Terra Cotta		
Sterling	White		
Stone Mountain Blend	Black		

Tan	White
Terra Cotta	Black

,	VILLA 900
Arbor Green	White
Arizona Clay Blend	Terra Cotta
Casa Grande Blend	Terra Cotta
Espresso Blend	Brown
Gold Dust Blend	Terra Cotta
Mandarin Sun Blend	Terra Cotta
Mission Sunset	Terra Cotta
New Southern Blend	Tan
Pinto Blend	Tan
South Beach Blend	Tan
Sterling	White
White	White
SAXO	NY <sup>®</sup> 900 SLATE
Beach Blonde Blend	Brown (alt. Tan)
Buckskin	Brown (alt. Tan)
Chestnut Burnt	Brown
Dark Charcoal Blend	Black
Espresso Blend	Brown
Florida Blend	Brown (alt. Tan)
Mottled White Blend	White
Sedona	White
Sterling	White
Stone Mountain Blend	Black
Weathered Ash	Black

## WestlakeRoyalRoofing.com - Imagine the Possibilities

#### **Visualize**

Picture your new roof with Newpoint<sup>™</sup> Concrete Roof Tile Inspiration house photo gallery on our website.

#### **Order A Sample**

Deciding on the perfect roof can be overwhelming. So, instead of wondering what color or style will work, order a sample and take the guesswork out of your decision. It's just another way Newpoint™ Concrete Roof Tile makes it easy to buy with confidence.

#### **Architectural Tools**

Our complete suite of architectural tools, including Arcat 3-Part Specs and CAD/BIM drawings, are available for download directly from our website.

#### Online Ordering

Manage your orders through myWestlakeRoyal, a simple online tool to track product orders in real time, all from the convenience of your computer, tablet or smartphone. Signup for e-mail alerts to notify you of your order status.

#### **Limited Lifetime Warranty**

As a brand you can trust, Newpoint™ Concrete Roof Tile offers one of the most comprehensive, fully transferable roofing warranties available on the market today.

#### Follow Us On Social Media

See what everyone loves about Newpoint™ Concrete Roof Tile and get inspired on: Facebook, Twitter, LinkedIn, YouTube, HOUZZ, Pinterest and Instagram.





































**Code Approval:** Some approvals are regional and only apply to locally produced products; please contact Newpoint™ before transporting product across state lines. Specifically, products used in the Miami Dade County region of Florida require special testing and recognition. All tiles are Class A fire rated.

**Disclaimer:** The printed colors shown in this brochure may vary from actual available tile colors. Before making a final selection, be sure to review actual tile samples and roof installations. Please contact your local sales office for further assistance. Inadvertent errors in this publication are subject to change without notice. No performance guarantee is offered or implied beyond that expressly indicated.

Efflorescence is a temporary surface condition which is common to all concrete products. The process is caused by the chemical nature of cement. This reaction can appear as an overall chalky white bloom (a softening of color) or in more concentrated patches. It is difficult to predict how long the effects of efflorescence will last. It depends on the type and amount of deposit as well as local weather conditions. The action of carbon dioxide and rainwater will gradually remove the deposit, in most cases, leaving the original color of the roof intact without further efflorescence occurring. It is superficial and in no way affects the quality or functional properties of the tile.

**Installation:** According to the Tile Roofing Institute loading guidelines, "To achieve a pleasant, random blend of color for your job, care should be taken upon loading to mix the tiles." (Source: 2015 Concrete and Clay Roof Tile Installation Manual). Please consult the Tile Roofing Institute (TRI) Installation guides for application recommendations.

Cover: BARCELONA 900 | Buckskin



#### **Visit our Design Centers:**

#### **FORT MYERS:**

16240 S Tamiami Trail Fort Myers, FL 33908 T: 863.467.3470

#### POMPANO:

2125 NW 22<sup>nd</sup> Street Pompano Beach, FL 33069 T: 954.973.2128

#### ORLANDO:

2250 Lee Road Suite 80 Winter Park, FL 32789 T: 407.960.7536

#### ABOUT WESTLAKE ROYAL ROOFING SOLUTIONS™

Westlake Royal Roofing Solutions™ is the combination of DaVinci® Roofscapes and the former Boral North America roofing product lines. The company is a recognized, national leader in durable and sustainable clay, composite, concrete, and steel roof systems and components. The company's offerings include US Tile® products, a legacy line of premium, stunning clay tile solutions manufactured to the highest standard of sustainability and craftsmanship: DaVinci® Roofscapes, beautiful and durable composite slate and shake roofing tiles; Newpoint™ Concrete Tile Roofing, the enduring line of concrete tile known for its superior strength, Class A fire rating and long-lasting beauty: Unified Steel™ Stone Coated Roofing, the ultra-lightweight roofing system which benefits from the structural strength of steel; and Westlake Royal™ Roofing Components, a full line of integrated roof components designed to deliver a higher standard of roof installation and performance.

#### ABOUT ABOUT WESTLAKE ROYAL BUILDING PRODUCTS™

Westlake Royal Building Products USA Inc., a Westlake company (NYSE:WLK), is a leader throughout North America in the innovation, design, and production of a broad and diverse range of exterior and interior building products, including Siding and Accessories, Trim and Mouldings, Roofing, Stone, Windows and Outdoor Living. For more than 50 years, Westlake Royal Building Products has manufactured high quality, low maintenance products to meet the specifications and needs of building professionals, homeowners, architects, engineers and distributors, while providing stunning curb appeal with an unmatched array of colors, styles, and accessories.

For more information, please visit WestlakeRoyalBuildingProducts.com. Follow us on LinkedIn, Instagram and "Like" us on Facebook.

#### Sales Offices

Phoenix, ARIZONA
Corona, CALIFORNIA
Lathrop, CALIFORNIA
Stockton, CALIFORNIA
Rialto, CALIFORNIA
Denver, COLORADO
Lake Wales, FLORIDA

Okeechobee, FLORIDA
Pompano Beach, FLORIDA
Kapolei, HAWAII
Henderson, NEVADA
Fort Worth, TEXAS
Katy, TEXAS

#### Corporate Office

**Westlake Royal Building Products** 2801 Post Oak, Suite 600 Houston, Texas 77056

Customer Service
Ph: 863.824.1289

#### Website



WestlakeRoyalRoofing.com











